



# graphic arts guide



**Trade Products For The Graphic Arts & Silk Screen Industry**

since 1947

## TRADE PRODUCTS



### PLASTIC SPRAY SW201

No. 201 provides a clear acrylic protective coating that stays clear under any condition. Contains 'UV' protectant inhibitors. Prevents dog-earing and color fading of art and papers from constant handling and it keeps artwork from fading, due to exposure to light. Ideal as an ink jet laminate.

**ARTWORK:** Protects finished watercolor, pastel, charcoal, pencil, colored ink renderings.

**PHOTOGRAPHY:** Protects surfaces, improves contrasts. **CRAFTS:** Adds luster to ceramics, preserves models.

**VALUABLE PAPERS:** Protects books, blueprints, maps, charts, documents, records, carbon copies.



### RUBBER CLEANER & REJUVENATOR SW203

Cleans and gives new life to ink-laden, hardened rollers and blankets in the printshop as well as removing the difficult soil on copier machine covers and flaps. No. 203 removes glaze resulting from gum, friction, ink, coatings, oxidation and light embossing. It restores a velvety smooth surface and makes product more efficient.

**USES:** In the printshop - spray rubber rollers while machine is running. Rollers should be cleaned regularly or after heavy use to help prolong their life. To keep copiers clean and productive, simply spray the copier cover/flap with No. 203 and wipe off with a clean, absorbent cloth to remove soil.



### SPECIALTY FILM CLEANER SW206

With the use of No. 206 Specialty Film Cleaner, reproductions are guaranteed to turn out crisp, clean and sharp. To use simply spray a lint-free cloth or the surface, with a wet spray. Wipe immediately for best results. No. 206 safely cleans diazo film, silver film, color transparencies, screen tints, scanner drums and contact screens. No. 206 contains NO CHLORINATED SOLVENTS.



### TONER AIDE SW208

Use No. 208 on paper, velum, transparency film-any dry toner generated media to greatly improve image quality. Dries in minutes and is 100% transparent. Develops higher resolutions while it enhances the detail clarity. Contains no methylene chloride.



### FLEX-O SPRAY COAT SW727

An application spray intended for use on photopolymer and flexo plates. This spray forms a film that decreases ink buildup, allowing for faster plate cleaning. The film also works to improve print densities and provide for faster running speeds and prolonged plate life.



### INK ANTI SKIN SW950

No wash-up spray. Used properly No. 950 prevents ink skinning on press rollers, in press fountains and in ink cans. This premium Ink Anti-Skin No Wash-Up Spray is used for long term stoppages in printing, such as overnight and weekends. It also delays the drying of inks on screens.

## GLASS CLEANERS



### GLASS CLEANER SW050

The World's Best Glass Cleaner contains no ammonia and will not leave a film. Perfect for cleaning all glass: exposure units, cameras, scanners, windshields, mirrors, and windows. This product has a clinging foam and a pleasant fragrance.



### GLASS CLEANER WIPES SW933

Pre-moistened with a powerful, ammonia free formula for removing dust, dirt, oil and grease smudges, water spots, finger prints and smoke film from any glass surface. No. 933 Glass Cleaner Wipes will not leave behind streaks or a sticky film to cloud your visibility.

- Non Streaking - Ammonia Free
- Film Free

*Net contents: 40 wipes / tub*



### FORMULA '40' SW040

Glass Cleaner Clinging foam glass cleaner with anti-static formulation. Contains no ammonia as it removes smoke film, finger-prints and dirt from glass and mirror surfaces. 16 oz.

## SOLVENT DEGREASER



### C-60 SOLVENT DE-GREASER SW063\*

C-60 Solvent Degreaser removes unwanted ink spots, dirt, grease, oil, fresh paint and other troublesome stains fast. Also effective on tar, adhesive marks, crayon marks and lipstick. C-60 leaves no residue, is quick drying, non-flammable and low in toxicity. **USES:** Use this product on metal parts prior to painting or soldering, painted surfaces, insulation, rubber and fabrics. Electric motors and generators may be cleaned while in use under properly ventilated conditions. Also for use on sewing machines, cutting tools, switches, control panels and thermostats. **NOTE:** Do not use this spray on plastics.

## GENERAL PURPOSE CLEANERS



### CRAZY CLEAN SW031

Crazy Clean All Purpose Cleaner cleans 'like crazy' and may be the only general cleaning spray needed for most cleaning situations. Spray on and wipe off to remove dirty hand prints from walls and doors, scuff and crayon marks, grease spots, soot stains and smoke film. Perfect for cleaning sewing machine housings, cutting and working tables.



### CRAZY CLEAN WIPES SW983

- Extremely versatile, industrial strength waterless cleaner
- Cuts through tar, grease, wax, ink, paint, lubricants, and adhesive
- Can be used for cleaning tools and wiping hands, to cleaning machinery and other surfaces
- Gentle on skin - fortified with an emollient, that won't crack or dry hands.
- Textured side of the fabric won't scratch surfaces and is ideal for scrubbing tough soils
- Smooth side wipes surfaces clean
- Leaves a pleasant citrus scent and no residue

Net contents: 70 wipes / tub



### ORANGE CITRUS CRAZY CLEAN SW985

- Formulated with orange citrus solvents
- Removes dirty hand prints, scuff marks, soot, grease, smoke film, oil, light carbon and dust
- Deodorizes as it cleans

## SPECIALTY ITEMS



### CLEAN JET 100 SW805

The No. 805 Clean Jet 100 canned air/duster spray, is a portable source of ultra-clean gas for precision removal of dirt, lint and other particulates. This product is non-flammable, ultra-filtered dust remover with pinpoint jet accuracy delivering a blast or air up to 100 psi at 68°F and is guaranteed to leave no residue on any surface being cleaned. For use in hard to reach areas of sewing, cutting and embroidery machines.



### ANTI-STAT STATIC ELIMINATOR SW955

This multi-purpose anti-static spray removes the electrostatic charges that attract dust particles and cause static electricity. Effectively eliminates static shock and static cling. Safe to use on a wide variety of inanimate objects. **USES:** Use on rugs, carpets, drapes and cloth furniture to help prevent static electricity. Eliminates static electricity in and around computer and terminal areas. Will not stain fabric.



### FUSING MACHINE CLEANER SW823

Quick and easy to use and to clean up, No. 823 Fusing Machine Cleaner for belts, irons and flat presses effectively removes adhesive residue from the operating surfaces of interlining fusing machines and irons. No. 823 preserves surfaces and reduces further sticking of adhesives to Teflon®-coated belts and plates. It contains highly-viscous silicone and is non-flammable under fusing conditions. (Flash point: 240°C/465°F; ignition point above 240°C/465°F).

## SILICONES / LUBRICANTS



### SILICONE SPRAY SW945

Dries rapidly with no greasy or oily film. Stops squeaking, sticking and binding that often occurs with most machinery. It retards corrosion and makes cleaning easier and quicker. Colorless - non-staining - waxless - heat stable from 40°C to +204°C, it is safe to use on such surfaces as metals, glass, rubber, plastic, painted finishes and fabrics (except for polystyrene).



### SILICONE SPRAY SW946\*

The 946 features similar characteristics to the 945 with reduced solid content for light duty applications. Please see above SW945 description for complete details.



### RD90 LUBRICANT SW090

A sewing machine oil, RD-90 provides a fine film coating that keeps moving parts and operating mechanisms running smoothly while it displaces moisture and prevents rust on any metal. This product contains no silicone and is harmless to paint, plastic, rubber and fabric. Spray on corroded and rusted "frozen" parts for quick release. **USES:** Use on any metal item where lubrication, rust or corrosion protection, is needed. Use on parts, shafts, and rotary systems of all types of apparel equipment.

## SCREEN OPENERS



### FAST OPEN SCREEN OPENER SW032

For water-based inks. A convenient and easy-to-use product designed to open dried-up areas on screens. To use simply spray a thin application to the dried in area or areas. Two or three squeegee passes will open the mesh completely. Use this product at regular intervals to help prevent clogging and work delays.



### FAST OPEN SCREEN OPENER SW957

For plastisol and solvent based inks. A convenient and easy-to-use product designed to open dried-up areas on screens. Use FAST OPEN 957 at regular intervals to help prevent clogging and work delays. **USES:** Simply spray a very thin application to the dried-in area or areas. Two or three squeegee passes will open the mesh completely.

SEE REVERSE SIDE FOR  
COMPLETE ADHESIVE LINE



# ADHESIVES



## SPRAY ADHESIVE SW066

This product is non-wrinkling, repositionable, water-resistant, quick or long tack adhesive that provides either a temporary or permanent bond. **USES:** This spray can be used to bond many materials including: metal, cardboard, foam rubber, plastic films, glass, wood, paper and cloth. Ideal for quick layouts, paste-ups, labeling and display assembly. Prevents paper patterns and stencils from shifting.



## FAST TACK 382 SW382

Our VOC & OTC compliant version of SW082



## MIST TYPE SPRAY ADHESIVE SW082

An economy pallet adhesive perfect for textile screen printers. Its pressure-sensitive formula makes it repositionable without losing its strength and it holds its tack for a number of screen passes before an additional application is necessary. It bonds easily to cloth, paper, cardboard, acetate, foil, plastic film, cork, foam rubber and leather. No. 82 will not transfer to fabric nor will it allow shifting of the material(s) during the screen printing process, which makes it ideal for t-shirts and similar materials. No. 82 quickly strips without stain or residue. The superior pressure-sensitive formula lasts longer, thus giving the operator considerably more uses per application and allowing for less downtime. For Screen Print Tacking: Apply a light, even coat to pallet and allow to dry. Position fabric on coated area and proceed with screening process. Quickly covers without staining.



## FAST TACK 383 SW383

Our VOC & OTC compliant version of SW083



## WEB TYPE SPRAY ADHESIVE SW083

This economy web type textile screen printing pallet adhesive is ideal for sweatshirt fabrics. A pressure-sensitive formula that is especially useful as it is repositionable without losing its strength. It sprays on easily and evenly for screen print tacking. No. 83 bonds easily to cloth, paper, cardboard, acetate, foil, plastic film, cork, foam rubber, leather and cloth. It will not transfer to fabric nor will it allow shifting of the material(s) during the screen printing process, making it ideal for heavier type fabrics. For Screen Print Tacking: Apply a light, even coat to pallet and allow to dry. Position fabric on coated area and proceed with screening process. Quickly covers without staining.



## FAST TACK 384 SW084

A pressure-sensitive formula, No. 84 is a textile screen printing pallet adhesive ideal for flash curing. A high-quality industrial grade spray adhesive with excellent heat resistance. It is specially formulated for flash-cure applications. It remains tacky - even when exposed repeatedly to the high temperatures required to cure plastisol inks. It will not transfer to fabric, nor will it allow shifting of the material(s) during the screen printing process, making it ideal for most fabrics. VOC compliant.



## FAST TACK GENERAL PURPOSE MIST ADHESIVE SW087

A high-performance mist adhesive used for both temporary and permanent bonds. It is a versatile general purpose adhesive ideal for use in packaging, lightweight bonding and fabricating, labeling and shipping applications. Its non-staining formula makes it ideal for use on many substrates such as:

- wood to acrylics, paper/ cardboard, fabric and felt
- metal to acrylics, paper/ cardboard, fabric and felt
- rubber to acrylics, nylon, fabric and felt
- paper to paper/cardboard, fabric and felt



## ADHESIVE ACTIVATOR SW211

Works with most all cyanoacrylate adhesives to form a quick and permanent bond. This aerosol allows for even application of the product. The spray eliminates surges that cause overlaps and missed spots associated with pump spray products. Use this product to achieve consistent curing, time after time. Cures screen mesh to wooden frames. Activates adhesive on plastic, rubber, ceramics, wood and metal.

- Aerosol cans are made of steel, the world's most recycled material.
- Our cans are made with 25% to 32% recycled steel depending on can style.
- The caps and spray tips are recyclable.
- Our shipping box utilizes 37% recycled material.
- Fact...65% of steel containers are recycled versus 6% of plastic containers.



1005 S. Westgate Drive | Addison, IL 60101 | 800.332.9000 | spraywayinc.com



DISTRIBUTION DIVISION