



# INDUSTRIAL MAINTENANCE REPAIR OPERATIONS



supplying the industrial & MRO industry  
since 1947

# INDUSTRIAL ADHESIVES

## FAST TACK 55 FOAM & FABRIC ADHESIVE SW055

- Fortified with high solids, the snorkel tip provides uniform, soft glue lines that will not dimple
- Quick tack and a low soak-in feature means more adhesive on the surface resulting in stronger bonds
- Does not darken • Does not leave a residual odor
- Produces a super-strong bond
- Effectively bonds fabric to foam, metal or wood surfaces and to itself
- Bonds urethane and latex-type foams to themselves in butt-splicing, knife edging, laminating, boxing and edge turning operations, as well as to metal, rigid plastic and wood surfaces



## FOAM & FABRIC ADHESIVE SW555

- Permanent and Temporary bonds
- Effectively bonds urethane and latex type foams and fabric
- High solids and snorkel tip provides soft glue lines that will not dimple
- Quick tack and low soak in for very strong bonds
- Does not darken or leave a residual odor
- Used in foam to foam knife edging, laminating, butt-splicing, boxing and edge turning operations
- Also good for metal, rigid plastic, and wood surfaces



## FAST TACK 85 GENERAL PURPOSE WEB ADHESIVE SW085

- Temporary and Permanent bonds
- Porous and smooth substrates
- Waterproof, flexible, non-staining
- Great for lots of jobs and substrates
- Plastics, foams, carpet, FRP, wood, fabric, leather



## GENERAL PURPOSE WEB ADHESIVE SW585

- Temporary and Permanent bonds
- Contains no chlorinated solvents
- Clear, flexible, waterproof
- Good for many substrates: Wood, Plastic, Fabric
- Polyethylene sheeting, marine carpet, paper



## FAST TACK 87 GENERAL PURPOSE MIST ADHESIVE SW087

- Temporary or Permanent bonds
- High coverage, minimal soak in, long tack
- Great for a lot of substrates and jobs
- Wood to acrylic, paper, cardboard, fabric, felt
- Metal to acrylic, paper, cardboard, fabric, felt
- Rubber to acrylic, nylon, fabric, felt
- Paper to cardboard, fabric, felt



## FAST TACK 587 LOW VOC, GENERAL PURPOSE MIST ADHESIVE SW587

- Temporary or permanent bonds
- High coverage, low soak in, long tack
- Great for a lot of substrates and jobs
- Wood to acrylic, paper, cardboard, fabric, felt
- Metal to acrylic, paper, cardboard, fabric, felt
- Rubber to acrylic, nylon, fabric, felt
- Paper to cardboard, fabric, felt



## FAST TACK 92 HI-TEMP HEAVY DUTY TRIM ADHESIVE SW092

- Contact adhesive designed for bonding vinyl tops, heavyweight headliners and hood silencer pads
- Use where high strength and heat resistance are needed
- High immediate bond strength
- Lace-like, non-misting spray that is repositionable during assembly
- Excellent heat and water resistance
- Long bonding range (5 minutes to 1 hour)
- Bonds to metal, wood, plastic, foam, headliners and insulation materials



## FAST TACK 784 SUPER FLASH PALLET ADHESIVE SW784

- Water based, All purpose silkscreen adhesive
- Ideal for: Flash curing, screen printing and plastisol inks
- This is a truly unique product as it can be used to make temporary bonds for light weight and fleece garments
- It is also suited for the rapid heat cycles encountered in the flash cure process



# INDUSTRIAL WIPES

## GLASS CLEANER WIPES SW933

- Pre-moistened
- Powerful, ammonia-free formula
- Removes dust, dirt, oil and grease smudges, water spots, fingerprints and smoke film from any glass surface
- Will not leave behind streaks or a sticky film to cloud your visibility



## INDUSTRIAL STRENGTH GRAFFITI CLEANER WIPES SW963

- Abrasive towel
- Highly effective formula
- Removes most paints & graffiti
- Cuts through ink & permanent marker
- Use On A Variety Of Hard Surfaces Including:
  - Bathroom partitions • phone booths • lamp posts
  - bus stops & seats • stainless steel • desks • wall tile
  - aluminum siding • road signs lockers • billboards



## CRAZY CLEAN WIPES SW983

- Industrial strength waterless cleaner, gentle on skin
- Cuts through the toughest tar, grease, wax, ink, paint, lubricants, and adhesive
- Extremely versatile, can be used for nearly any job, from cleaning tools and wiping hands, to cleaning machinery and other surfaces
- Textured side of the fabric won't scratch surfaces and is ideal for scrubbing tough soils
- Smooth side wipes surfaces clean
- Leaves a pleasant citrus scent and no residue



## INDUSTRIAL STRENGTH ADHESIVES

provide continuous contact between bonded surfaces to prevent bimetallic corrosion and seals out environmental influences. Stress is distributed over a larger bonded area rather than at a concentrated point, while its flexibility compensates for expansion and contraction. Our adhesives are easy to use, will improve the finished

appearance while cutting production costs - through reduced materials and equipment requirements.

- CARB / OTC / LADCO / FEDERAL COMPLIANT
- Superior Technology
- Adhesive For Every Application
- Aggressive Tack
- Quick Bond Times

USES:

- Auto Applications
- Marine Industry
- MRO Needs
- Specialty Bonding
- Packaging

# MAINTENANCE REPAIR OPERATIONS

- Right Products For The Job
- CARB / OTC / LADCO COMPLIANT\*
- High Quality
- Price Competitively
- Market Leaders



## GLASS CLEANER SW050

- Remove road grime, filmy salt spray, bugs, fingerprints and more
- Works on vertical surfaces
- Ammonia-free
- Leaves windows streak-free and grease-free
- Safe for use on OEM tinted windows



## CRAZY CLEAN ALL PURPOSE CLEANER SW031

- Spray on and wipe off
- Remove dirty hand prints from walls and doors, scuff and crayon marks, grease spots, soot stains and smoke film



## ORANGE CITRUS CRAZY CLEAN SW985

- Fortified with a natural orange citrus solvent (d-limonene)
- Cleans and deodorizes most surfaces
- Simply spray this foaming product and wipe clean
- Contains no chlorinated solvents, petroleum distillates or glycol ethers
- Product is safe for use on washable, painted surfaces



## C-60 SOLVENT DEGREASER SW064

- Quickly removes unwanted ink spots, dirt, grease, oil, fresh paint and other troublesome stains
- Effective on tar, adhesive marks, crayon marks and lipstick
- Leaves no residue / quick drying / non-flammable
- NOTE: Do not use this spray on plastics



## CLEAN JET 100 SW805

- Portable source of ultra-clean gas for precision removal of dirt, dust, lint and other particulates
- Non-flammable, ultra-filtered dust remover with pinpoint jet accuracy
- Delivers a blast of air up to 100 psi at 68°F
- Guaranteed to leave no residue on any surface being cleaned



## SILICONE SPRAY SW945

- Stops squeaking, sticking, binding while it retards corrosion
- Makes cleaning easier and quicker
- Dries fast with no greasy or oily film
- Saves valuable time while it protects and preserves equipment
- Odorless, colorless, non-staining, waxless
- Heatstable- unaffected by temperatures ranging from -40°C to 204°C



## ALL PURPOSE DRY LUBRICANT & RELEASE AGENT SW077

- Stops sticking and retards corrosion
- Eliminates annoying squeaks in hinges, latches, springs, etc.
- Leaves no greasy or oily film
- Not affected by water or oil
- Heat stable formula will not freeze or melt



## WHITE GREASE SW715

- Highly-concentrated, all-purpose, heavy-duty spray for anything that squeaks, sticks or rusts
- Leaves a long lasting film with excellent resistance to heat
- Will not wash away, run off or dry out
- Useful in the marine, automotive, glass & mirror, graphic arts, hardware and industrial maintenance trades



## PAINT STRIPPER SW719

- Spray on, scrape off
- Powerful clinging gel
- Blisters lacquers, enamels, shellacs, and acrylics without attacking substrates
- Blistered paint can be scraped off or flushed away with water
- Use on brick, tile, steel, brass, chrome, porcelain and many other surfaces



## WELDER'S ANTI-SPATTER SPRAY SW725

- Provides instant shielding action, reducing downtime that may occur due to spatter accumulation
- Highly heat-resistant and will not interfere with finishing operations
- When applied as directed, this spatter inhibitor is flow-proof and will not spread beyond its point of impact



## ANTI-STAT STATIC ELIMINATOR SW955

- Multi-purpose anti-static spray removes the electrostatic charges that attract dust particles and cause static electricity
- Effectively eliminates static shock and static cling
- Safe to use on a wide variety of inanimate objects



2651 Warrenville Rd. Ste. 300 | Downers Grove, IL 60515 | 800.332.9000 | spraywayinc.com



# BLACK LABEL SERIES

## A PREMIUM INDUSTRIAL AEROSOL LINE



### **L** LUBRICANT PROTECTANT SW288

- Multipurpose lubricant and protectant
- Loosens rust and corrosion to separate parts with metal to metal contact
- Saves production, maintenance and repair time while protecting equipment
- Non-chlorinated solvents

### **L** MOISTURE DISPLACER DEEP PENETRANT\* SW290

- Deep penetrating moisture displacer to loosen nuts and bolts where corrosion and rust have collected
- Cleans, lubricates, and protects
- Displaces moisture and retards corrosion

### **L** MOLY PTFE LUBRICANT\* SW289

- Lubricant is formulated with PTFE and fortified with Moly to provide long lasting lubrication and protection from friction, wear and corrosion
- Low viscosity allows for deep penetration into hard to reach moving parts
- Heat stable to 500° F
- Displaces moisture and protects metal

### **M** MOLY CHAIN & CABLE LUBRICANT SW291

- Provides superior penetrating action to any chain or cable
- Moly and other additives reduce wear caused by friction and corrosion while providing rust protection
- Increases life of chains and wire ropes
- Deep penetration to core of wire and ropes

### **M** DRY MOLY LUBRICANT SW464

- Superior Anti-Corrosion properties
- Temperature ranges -110° F - 1050° F
- Inert to water, oil and alkalis and many acids
- Will not attract dust
- Chlorinated

### **M** DRY MOLY LUBRICANT NON-CHLORINATED SW463

- Dry Lubricant capable of withstanding extreme temperatures and pressures
- Ideal for dusty and dirty environmental conditions
- Provides long term protection against rust
- Non Corrosive / Non Chlorinated

### **T** TFE DRY COATING LUBRICANT AND RELEASE AGENT\* SW295

- Fortified with TFE, woodworking lubricant that will not attract or hold dirt, dust, or gum during use
- High heat resistance will not melt below 500° F
- Reduces friction, stops sticking and prolongs tool life
- Non-oily, non-staining and paintable
- Will not affect wood finishes

### **OG** OPEN GEAR LUBRICANT SW460

- Super tough, clinging lubricant that penetrates deep into gears and mechanisms
- Thick, tacky, black, stringy lubricant - superior cushion between gear teeth and friction producing surfaces
- Absorbs high shock loads
- Provides protective, water resistant coating - even underwater
- High Temperature- High Pressure - Anti-Seize

### **G** PREMIUM GOLD GREASE SW294

- Excellent lubricant that prevents corrosion and extends equipment life
- Fortified with extreme pressure (EP) additives to withstand extreme conditions and temperatures
- Exceptional pressure rating – 65,000 PSI (65 Timken Rating)

### **S** SILICONE SPRAY NSF /H1 SW292

- Versatile dry silicone suitable for variety of uses
- Non-staining, non-corrosive and quick drying
- Reduces friction while protecting equipment
- Safe for food packaging and processing equipment

### **D** SOLVENT DEGREASER SW285

- Highly concentrated, non-chlorinated formula for powerful degreasing on metal surfaces
- Quick dry formula
- Leaves no film or residue

### **D** CITRUS DEGREASER SW286

- Non-chlorinated natural citrus degreaser for hard surfaces
- Attaches grease and adhesives
- Leaves no film or residue
- Pleasant Citrus Fragrance

### **C** PENETRATING COIL CLEANER\* SW287

- Non-acid, non-chlorinated, surfactant based formula that attacks buildup on coils
- Deodorizes coils and drain pans with fresh citrus scent
- Powerful penetrating pinpoint spray

### **P** PRECISION CONTACT CLEANER SW293

- Helps prevent electrical malfunctions caused by water penetration, humidity and condensation
- Precision cleaning product prevents corrosion by displacing moisture
- Safe for use on most plastics
- No residue and evaporates quickly

### **MP** METAL PARTS PROTECTOR SW478

- Flexible, anti-rust and anti-film protective film
- Protects metals from exposure to sun, chemical fumes, salt spray and humidity
- Excellent protective coating for parts in long-term storage or in transit
- Coding/Identification tags can easily be read through coating
- Effective from -40° to +175°

### **RE** RUST EXTERMINATOR SW625

- On-step rust neutralizing spray
- Converts rust to a tough, long-term protective coating
- Paintable after product dries
- No major surface preparation needed
- Prevents future rusting
- Non-Flammable when dry



2651 Warrenville Rd. Ste. 300 | Downers Grove, IL 60515 | 800.332.9000 | spraywayinc.com

